Exercises 5 Linear function and equations Linear equations

Objectives

- be able to solve a linear equation.
- be able to determine the solution set of a linear equation.
- be able to solve a linear equation containing parameters.
- be able to treat applied tasks in economics by means of linear equations.

Problems

- 5.1 Determine the solution sets of the following equations:
 - a) 19x 32 + 17x = 18x 30 + 16x 4
 - b) 25x 16 9x = 20 + 24x 10 10x
 - c) 105 72x 53 69 = 55x + 43x 23 170x + 6
 - d) 56x 43 52 19x = 7 72x 56x + 165x 112
- 5.2 Determine the solution sets of the following equations:
 - a) 22(x 11) 5(x 40) = 110 (x + 53)
 - b) 184 6(x 24) = 214 3(2x 38)
 - c) $(x+3)(x-5) = (x-3)^2$
 - d) (x-5)(x-2) = (x-4)(x-3)
 - e) $5x(x-1) (2x+3)^2 (x-5)(x+3) 6 = 0$
- 5.3 Determine the solution sets of the following equations:
 - a) $\frac{x+3}{5} = \frac{2x-8}{3}$ b) $\frac{x+3}{4} + \frac{1-3x}{7} = 0$ c) $\frac{2}{x-1} = \frac{1}{x-2}$
 - d) $\frac{x}{x-1} = \frac{x-1}{x-2}$
- 5.4 The equations below are equations in the variable x. Furthermore, the equations contain real parameters a and b. Therefore, the solution sets of the equations depend on the values of those parameters.

Solve the equations for x, and determine the solution sets. Take into account that the parameters a and b can be any real numbers.

a) x(a - 3) = a

Hint:

- You may want to divide both sides of the equation by a - 3. However, this is not allowed if a - 3 = 0, i.e. if a = 3, as dividing by 0 is not defined.

- b) (x+1)(b-2) = 2bx
- c) a(1 + x) 1 = x(2a 1)
- d) (a b)x = a

5.5 The graph of a linear function f with slope a contains the point P. Find the equation of the linear function.

a)	a = -5	P(5 -3)
b)	a = 2	P(3 0)
c)	a = 0	P(2 3)

- 5.6 Alps Bikes uses the formula B(t) = -400 t + 5000 to find the book value B(t), in Swiss franks, of a mountain bike t years after its purchase.
 - a) What do the numbers 400 and 5000 signify?
 - b) How long will it take the mountain bike to depreciate completely?
- 5.7 Two items A and B depreciate linearly:

Item A	original value = 200 CHF depreciation = 16 CHF/year
Item B	original value = 240 CHF depreciation = 32 CHF/year

- a) How long will it take the two items to depreciate completely?
- b) Determine the point in time where both items have the same value.

Hint:

- Think of the temporal development of the values as linear functions.
- 5.8 Simple interest at an unknown rate is paid on an initial bank balance of 5000 CHF. The balance after five years is 5625 CHF.
 - a) Determine the interest rate.
 - b) How long would it take the balance to reach 7000 CHF?
- 5.9 Decide which statements are true or false. Put a mark into the corresponding box. In each problem a) to c), exactly one statement is true.
 - a) The solution set of a linear equation ...

	contains at least one element.
	never contains two elements.
	cannot contain elements if the linear equation does not correspond to a linear function.
	cannot be the empty set.
b)	If a linear equation has exactly one solution
	the graph of the corresponding linear function intersects the x-axis.
	the equation does not contain any parameters.
	the solution set contains a rational number.
	no other linear function can have the same solution.
c)	If a linear equation has the solution $x = 2$, it can be concluded that
	$\Box \qquad \dots x = 3 \text{ is not a solution.}$
	the graph of the corresponding linear function intersects the x-axis at $x = 2$.
	\square P(2 0) is a point of the graph of the corresponding linear function.

... P(0|2) is a point of the graph of the corresponding linear function.

5.1	a)	$S = \{-1\}$			
	b)	$S = \{13\}$			
	c)	$\mathbf{S} = \mathbb{R}$			
	d)	$\mathbf{S} = \{ \}$			
5.2	a)	$S = \left\{\frac{11}{2}\right\}$			
	b)	$S = \mathbb{R}$			
	c)	$S = \{6\}$			
	d)	$S = \{ \}$			
	e)	$S = \{0\}$			
	0)	5 (0)			
5.3	a)	$S = \{7\}$			
0.0	b)	$S = \{5\}$			
	c)	$S = \{3\}$			
	d)	$\mathbf{S} = \{ \}$			
	u)	5 - { }			
5.4	a)	if a = 3:	no solution	\rightarrow	$\mathbf{S} = \{\cdot\}$
5.1	u)		$x = \frac{a}{a - 3}$	\Rightarrow	$S = \{ \}$ $S = \left\{ \frac{a}{a-3} \right\}$
	b)	if b = -2:			
	,		$\mathbf{x} = \frac{\mathbf{b} - 2}{\mathbf{b} + 2}$	\Rightarrow	$S = \{ \}$ $S = \left\{ \frac{b-2}{b+2} \right\}$
	c)	if a = 1:	$x \in \mathbb{R}$		
	,	if $a \neq 1$:	$\mathbf{x} = 1$		$ S = \mathbb{R} \\ S = \{1\} $
	d)	if $a = b = 0$:	$x \in \mathbb{R}$	\Rightarrow	$S = \mathbb{R}$ $S = \{ \}$ $S = \left\{ \frac{a}{a-b} \right\}$
		if $a = b \neq 0$: if $a \neq b$:	no solution $\mathbf{x} = \frac{\mathbf{a}}{\mathbf{x}}$	\Rightarrow	$S = \left\{ \right\}$ $S = \left\{ \frac{a}{a-b} \right\}$
		If $a \neq 0$.	$\mathbf{x} = \frac{\mathbf{a}}{\mathbf{a} - \mathbf{b}}$	\rightarrow	la-b
	`	(x) 5	. 22		
5.5	a)	y = f(x) = -5x	+ 22		
		Hints: - The equation	of a linear function	on is $y = x$	f(x) = ax + b
		- P(5 -3) is a po		of the line	ear function. Therefore, the coordinates of P must fulfil the
		equation of th	ie miear runen011,	1.05 =	1(<i>J</i>) <i>u J</i> + <i>U</i>

b)
$$y = f(x) = 2x - 6$$

c)
$$y = f(x) = 3$$

5.6 The number - 400 indicates that the value of the mountain bike decreases by 400 CHF per year. a) The number 5000 indicates that the original value of the mountain bike was 5000 CHF.

12.5 years b)

Hint:

- Complete depreciation at time t means B(t) = 0.

5.7	a)	item A: 12.5 years item B: 7.5 years
	b)	t = 2.5 years (if the original value is meant to be at $t = 0$ years)
5.8	a)	slope of the linear function: $a = 125$ interest rate $r = 2.5\%$
	b)	16 years
5.9	a)	2 nd statement
	b)	1 st statement
		- 1

c) 3rd statement